

SUS304板 (2B/片研#400研磨)

●在庫品

1枚の質量(Kg/枚)

板厚 mm	寸 法 mm			
	1000 x 2000	1000 x 3000	1219 x 2438	1524 x 3048
0.3	● 4.76			
0.4	● 6.34			
0.5	● 7.93		● 11.8	
0.6	● 9.52	● 14.3	● 14.1	
0.7	11.1		16.5	
0.8	● 12.7	● 19.0	● 18.9	
1.0	● 15.9	● 23.8	● 23.6	36.8
1.2	● 19.0	● 28.5	● 28.3	● 44.2
1.5	● 23.8	● 35.7	● 35.4	● 55.3
2.0	● 31.7	● 47.6	● 47.1	● 73.7
2.5	● 39.6	● 59.5	● 58.9	92.1
3.0	● 47.6	● 71.4	● 70.7	● 111.0
4.0	● 63.4		● 94.3	● 147.0
5.0	● 79.3		● 118.0	● 184.0
6.0	● 95.2		● 141.0	● 221.0

表記の質量はテーブル質量です。実際の商品とは異なる場合があります

SUS304板 (HL研磨)

● 在庫品

1枚の質量(Kg/枚)

板厚 mm	寸 法 mm				
	1000 x 2000	1000 x 3000	1219 x 2438	1219 x 3048	1219 x 4000
0.3					
0.4	● 6.34				
0.5	● 7.93				
0.6	● 9.52	● 14.3	● 14.1		
0.7	11.1		16.5		
0.8	● 12.7	● 19.0	● 18.9	23.6	
1.0	● 15.9	● 23.8	● 23.6	29.5	38.7
1.2	● 19.0	● 28.5	● 28.3	35.4	46.4
1.5	● 23.8	● 35.7	● 35.4	44.2	58.0
2.0	● 31.7	● 47.6	● 47.1	58.9	77.3
2.5	39.6	59.5	58.9	73.7	
3.0	● 47.6	71.4	● 70.7	88.4	

表記の質量はテーブル質量です。実際の商品とは異なる場合があります

SUS430板 (BA/2B)

● 在庫品
1枚の質量(Kg/枚)

板厚 mm	寸 法 mm	
	1000 x 2000	1219 x 2438
0.3	● 4.62	
0.4	● 6.16	
0.5	● 7.70	
0.6	● 9.24	
0.7	10.8	
0.8	● 12.3	● 18.3
1.0	● 15.4	● 22.9
1.2	● 18.5	● 27.5
1.5	● 23.1	● 34.3
2.0	● 30.8	● 45.8
2.5	38.5	57.2
3.0	● 46.2	● 68.6

表記の質量はテーブル質量です。実際の商品とは異なる場合があります