


銅 管 (DCuT) 1

C1220T



切断品も対応 (別途ご相談)


調質: H・1/2H(表記なしはH)

寸 法 mm			1本の 質量 (kg/本)	寸 法 mm			1本の 質量 (kg/本)	寸 法 mm			1本の 質量 (kg/本)
外径 D	肉厚 t	定尺長さ		外径 D	肉厚 t	定尺長さ		外径 D	肉厚 t	定尺長さ	
1.6	0.3	2,000	0.02	8.0	1.2	5,000	1.14	12.7	3.0	5,000	4.07
2.0	0.4	"	0.04		1.5	"	1.37		1.0	"	1.82
2.5	0.4	"	0.05		2.0	"	1.68		1.2	"	2.15
3.0	0.5	2,500	0.09	9.0	1.0	"	1.12	14.0	1.5	"	2.63
	0.8	5,000	0.25		1.5	"	1.58		2.0	"	3.36
3.2	0.5	2,500	0.10	9.5	0.6	"	0.75		15.0	3.0	"
3.5	0.5	"	0.11		0.8	"	0.97	1.0		"	1.96
4.0	0.5	4,000	0.20		1.0	"	1.19	1.2		"	2.32
	0.8	5,000	0.36		1.2	"	1.39	1.5		"	2.84
	1.0	"	0.42		1.5	"	1.68	1.8		"	3.33
4.5	0.5	2,500	0.14		2.0	"	2.10	2.0		"	3.64
4.8	0.8	5,000	0.45	10.0	0.5	"	0.67	15.9	3.0	"	5.04
5.0	0.5	"	0.32		0.8	"	1.03		0.8	"	1.69
	0.8	"	0.47		1.0	"	1.26		1.0	"	2.09
	1.0	"	0.56		1.2	"	1.48		1.2	"	2.47
6.0	0.5	"	0.39		1.5	"	1.79		1.5	"	3.02
	0.8	"	0.58		2.0	"	2.24		2.0	"	3.89
	1.0	"	0.70	11.0	1.0	"	1.40	3.0	"	5.42	
	1.2	"	0.81		1.5	"	2.00	2.0	"	3.92	
6.35	1.5	"	0.95	2.0	"	2.52	16.0	2.5	"	4.73	
	2.0	"	1.12	12.0	0.8	"		1.25	4.0	"	6.72
	7.0	0.8	"		0.62	1.0	"	1.54	17.0	2.0	"
1.0		"	0.75		1.2	"	1.81	18.0	1.0	"	2.38
8.0	1.2	"	0.87		1.5	"	2.21		1.2	"	2.82
	1.5	"	1.02		2.0	"	2.80		1.5	"	3.47
	2.0	"	1.22	3.0	"	3.78	2.0	"	4.48		
7.0	1.0	"	0.84	12.7	0.8	"	1.33	19.0	3.0	"	6.30
	1.5	"	1.16		1.0	"	1.64		1.5	"	3.68
8.0	0.5	"	0.53		1.2	"	1.93		2.0	"	4.76
	0.8	"	0.81		1.5	"	2.35		3.0	"	6.72
	1.0	"	0.98	2.0	"	3.00	4.0	"	8.40		

表記の質量はテーブル計算です。実際の商品は現物の実質量となります。重量を表示している規格は標準在庫品です。

銅 管 (DCuT) 2

C1220T



切断品も対応 (別途ご相談)


調質: H・1/2H (表記なしはH)

寸 法 mm			1本の 質量 (kg/本)	寸 法 mm			1本の 質量 (kg/本)	寸 法 mm			1本の 質量 (kg/本)	
外径 D	肉厚 t	定尺長さ		外径 D	肉厚 t	定尺長さ		外径 D	肉厚 t	定尺長さ		
19.05	0.8	5,000	2.05	25.0	5.0	5,000	14.00	31.8	2.5	5,000	10.26	
	1.0	"	2.53		0.8	"	2.76		3.0	"	12.10	
	1.2	"	3.00		1.0	"	3.42		4.0	"	15.57	
20.0	1.0	"	2.66	25.4	1.2	"	4.07		5.0	"	18.76	
	1.2	"	3.16		1.5	"	5.02	34.0	2.0	"	8.96	
	1.5	"	3.89		2.0	"	6.55		3.0	"	13.02	
	1.8	"	4.59		2.5	"	8.02	35.0	1.5	"	7.04	
	2.0	"	5.04		3.0	"	9.41		2.0	"	9.24	
	2.5	"	6.13	27.0	5.0	"	14.28		2.5	"	11.38	
	3.0	"	7.14		3.0	"	10.08		3.0	"	13.44	
	22.0	4.0	"	8.96	28.0	1.0	"	3.78	4.0	"	17.36	
		5.0	"	10.50		1.5	"	5.57	5.0	"	21.00	
22.2		1.0	"	2.94		2.0	"	7.28	38.0	1.0	"	5.18
		1.5	"	4.31	28.6	3.0	"	10.50		1.2	"	6.18
		2.0	"	5.60		1.0	"	3.86		1.5	"	7.67
		2.5	"	6.83		1.2	"	4.60		2.0	"	10.08
		3.0	"	7.98	1.5	"	5.69	2.5		"	12.43	
3.5		"	9.07	2.0	"	7.45	3.0	"		14.70		
4.0	"	10.08	3.0	"	10.75	4.0	"	19.04				
5.0	"	11.90	30.0	1.0	"	4.06	5.0	"		23.10		
22.2	0.8	"		2.40	1.5	"	5.99	40.0	1.5	"	8.09	
	1.0	"		2.97	2.0	"	7.84		2.0	"	10.64	
25.0	2.0	"		6.16	2.5	"	9.63		2.5	"	13.13	
	1.0	"		3.36	3.0	"	11.34		3.0	"	15.54	
	1.2	"	4.00	4.0	"	14.56	4.0		"	20.16		
	1.5	"	4.94	5.0	"	17.50	5.0	"	24.50			
	1.8	"	5.85	31.8	0.8	"	3.47	41.3	1.2	"	6.74	
	2.0	"	6.44		1.0	"	4.31		1.5	"	8.36	
	2.5	"	7.88		1.2	"	5.14		2.0	"	11.00	
3.0	"	9.24	1.5		"	6.36	3.0		"	16.09		
4.0	"	11.76	2.0	"	8.34	42.7	3.0	"	16.67			

表記の質量はテーブル計算です。実際の商品は現物の実質量となります。重量を表示している規格は標準在庫品です。

銅 管 (DCuT) 3

C1220T



切断品も対応 (別途ご相談)

調質: H・1/2H(表記なしはH)

寸 法 mm			1本の 質量 (kg/本)	寸 法 mm			1本の 質量 (kg/本)	寸 法 mm			1本の 質量 (kg/本)
外径 D	肉厚t	定尺長さ		外径 D	肉厚t	定尺長さ		外径 D	肉厚t	定尺長さ	
44.5	1.0	5,000	6.09	63.5	2.5	5,000	21.35				
	1.2	"	7.27		3.0	"	25.41				
	1.5	"	9.03		4.0	"	33.32				
	2.0	"	11.90		5.0	"	40.95				
	3.0	"	17.43	65.0	3.0	"	26.04				
45.0	2.0	"	12.04	66.68	1.5	"	13.69				
	2.5	"	14.88	66.80	2.0	"	18.14				
	5.0	"	28.00	70.0	2.0	"	19.04				
48.0	3.0	"	18.90		3.0	"	28.14				
48.6	3.0	"	19.15		5.0	"	45.50				
50.0	1.5	"	10.19	76.2	1.5	"	15.69				
	2.0	"	13.44		2.0	"	20.78				
	3.0	"	19.74		3.0	"	30.74				
	5.0	"	31.50		4.0	"	40.43				
50.8	1.2	"	8.33	80.0	5.0	"	49.84				
	1.5	"	10.35		3.0	"	32.34				
	2.0	"	13.66	82.5	5.0	"	52.50				
	2.5	"	16.91		3.0	"	33.39				
	3.0	"	20.08	88.9	5.0	"	54.25				
	4.0	"	26.21		2.0	"	24.33				
	5.0	"	32.06		3.0	"	36.08				
55.0	2.0	"	14.84	101.6	5.0	"	58.73				
	2.5	"	18.38		2.0	"	27.89				
	3.0	"	21.84		3.0	"	41.41				
	5.0	"	35.00		5.0	"	67.62				
60.0	1.5	"	12.29	110.0	5.0	"	73.50				
	2.0	"	16.24	114.3	3.0	"	46.75				
	3.0	"	23.94	120.0	5.0	"	80.50				
	5.0	"	38.50	130.0	5.0	"	87.50				
63.5	1.5	"	13.02	140.0	5.0	"	94.50				
	2.0	"	17.22	150.0	5.0	"	101.50				

表記の質量はテーブル計算です。実際の商品は現物の実質量となります。重量を表示している規格は標準在庫品です。