


青銅鑄物棒(BC-6CB)

CAC406CB



切断品も対応(別途ご相談)

寸 法 mm		1mの質量 (kg/m)	寸 法 mm		1mの質量 (kg/m)
直径 D	定尺長さ		直径 D	定尺長さ	
20	3,050	3.3	200	3,050	297.2
25	"	5.0	210	2,050	331.2
30	"	7.0	220	"	362.9
35	"	9.5	230	"	396.0
40	"	12.3	240	1,250	434.5
45	"	15.5	250	"	469.7
50	"	19.1	260	"	508.7
55	"	23.2	270	"	547.9
60	"	27.4	280	"	588.6
65	"	32.1	290	"	630.8
70	"	37.0	300	"	676.7
75	"	42.4			
80	"	48.3			
85	"	54.4			
90	"	60.8			
95	"	68.0			
100	"	75.2			
105	"	82.8			
110	"	90.6			
115	"	98.9			
120	"	107.5			
125	"	117.4			
130	"	126.8			
135	"	138.1			
140	"	147.6			
145	"	158.7			
150	"	168.9			
160	"	191.7			
170	"	216.7			
180	"	241.6			
190	"	269.5			

表記の質量はテーブル計算です。実際の商品は現物の実質量となります。重量を表示している規格は標準在庫品です。300mm以下の長さ切断は、切断目減り分(5mm)のロスを実質にプラスとなります。

青銅鑄物板(BC-6C)

CAC406CP




切断品も対応(別途ご相談)

寸 法 mm			1枚の質量 (Kg/枚)	1mの質量 (kg/m)
板厚 t	幅 W	定尺長さ		
10	215	3,050	65.6	21.8
12	"	"	77.6	25.8
17	"	"	107.4	35.7
22	"	"	137.3	45.6
27	"	"	167.1	55.5
32	"	"	196.9	65.4
37	"	"	226.8	75.3
42	"	"	256.6	85.3
47	"	"	286.5	95.2
52	"	"	316.3	105.1
57	"	"	346.1	115.0
62	"	"	376.0	124.9
72	"			144.8
82	"			164.6
92	"			184.4
102	"			204.2
112	"			224.1
122	"			243.9
132	"			263.7
142	"			283.6
152	"			303.4
162	"			323.2
172	"			343.0
182	"			362.9
192	"			382.7
202	"			402.5
215	"	2,050	869.2	428.3

表記の質量はテーブル計算です。実際の商品は現物の実質量となります。重量を表示している規格は標準在庫品です。300mm以下の長さ切断は、切断目減り分(5mm)のロスを実質にプラスとなります。

青銅鑄物管(BC-6CT)1

CAC406CT




切断品も対応(別途ご相談)

寸 法 mm			1 mの質量 (kg/m)	寸 法 mm			1 mの質量 (kg/m)
外径 D	内径 d	定尺長さ		外径 D	内径 d	定尺長さ	
30	15	3,050	5.8	65	55	3,050	12.0
	20	"	4.6	70	35	"	29.0
35	15	"	8.2		40	"	26.4
	20	"	7.0		45	"	23.7
	25	"	5.6		50	"	20.6
40	20	"	9.8		55	"	17.0
	25	"	8.3		75	30	"
	30	"	6.5	35		"	34.4
45	20	"	13.1	40		"	31.8
	25	"	11.6	45		"	29.1
	30	"	9.7	50		"	25.8
	35	"	7.6	55		"	22.3
50	20	"	16.6	80	40	"	37.7
	25	"	15.1		45	"	35.0
	30	"	13.3		50	"	31.8
	35	"	11.0		55	"	28.1
	40	"	8.6		60	"	24.1
55	25	"	19.2		85	40	"
	30	"	17.4	45		"	41.2
	35	"	15.2	50		"	37.8
	40	"	12.6	55		"	34.2
60	30	"	21.7	90		40	"
	35	"	19.4		45	"	47.6
	40	"	16.8		50	"	44.3
	45	"	14.1		55	"	41.1
	50	"	11.0		60	"	36.6
65	30	"	26.3		70	"	27.5
	35	"	24.0	95	45	"	54.7
	40	"	21.5		65	"	39.5
	45	"	18.9	100	40	"	64.6
	50	"	15.6		50	"	58.6

表記の重量はテーブル重量です。実際の重量と異なる場合があります。重量を表示している規格は標準在庫品です。300mm以下の長さ切断は、切断目減り分(5mm)のロスを実質重量にプラスとなります

青銅鑄物管 (BC-6CT) 2

CAC406CT



切断品も対応(別途ご相談)

寸 法 mm			1 mの質量 (kg/m)	寸 法 mm			1 mの質量 (kg/m)
外径 D	内径 d	定尺長さ		外径 D	内径 d	定尺長さ	
100	60	3,050	51.0	160	80	3,050	148.2
	70	"	42.0		100	"	124.0
	75	"	37.1		120	"	93.6
105	65	"	54.2		130	"	76.0
	70	"	49.5	170	80	"	176.4
110	60	"	66.4		100	"	149.7
	70	"	57.4		120	"	119.0
	85	"	41.8		140	"	81.2
	90	"	35.7	180	100	"	175.4
115	65	"	70.3		120	"	144.7
120	50	"	90.9		140	"	106.9
	60	"	83.3		160	"	68.4
	80	"	64.0	190	100	"	202.5
	90	"	52.6		120	"	171.8
	100	"	39.2	200	100	"	229.5
125	65	"	88.8		140	"	164.0
	75	"	80.1		160	"	121.1
130	60	"	104.0	210	100	"	261.7
	80	"	83.2		140	"	195.0
	100	"	58.5	220	120	"	262.7
135	80	"	95.4	230	130	"	279.8
140	70	"	115.0		175	"	183.6
	90	"	93.2	240	140	"	295.4
	100	"	79.3	250	150	"	309.2
	110	"	65.2	260	160	2,050	328.0
145	75	"	121.4	270	150	"	388.7
	95	"	97.8	280	170	"	384.0
150	80	"	126.0	290	180	"	401.0
	100	"	101.2	300	180	1,250	448.4
	120	"	70.4		220	2,050	338.4
	130	"	53.6				

表記の重量はテーブル重量です。実際の重量と異なる場合があります。重量を表示している規格は標準在庫品です。300mm以下の長さ切断は、切断目減り分(5mm)のロスを実費重量にプラスとなります