


リン青銅鑄物棒(PBC-2CB)

CAC502CB



切断品も対応(別途ご相談)

寸法 mm		1mの質量 (kg/m)	寸法 mm		1mの質量 (kg/m)
直径 D	定尺長さ		直径 D	定尺長さ	
14	3,050	1.5	230	2,050	396.0
17	"	2.2	240	1,250	434.5
20	"	3.3	250	"	470.8
25	"	5.0	270	"	547.9
30	"	7.0	280	"	588.6
35	"	9.5	300	"	678.9
40	"	12.3			
45	"	15.5			
50	"	19.1			
55	"	23.2			
60	"	27.4			
65	"	32.1			
70	"	37.0			
75	"	42.7			
80	"	48.3			
85	"	54.4			
90	"	60.8			
95	"	68.5			
100	"	75.2			
110	"	90.6			
120	"	107.5			
130	"	126.8			
140	"	147.6			
150	"	169.6			
160	"	191.7			
170	"	216.7			
180	"	242.4			
190	"	269.5			
200	"	298.1			
210	2,050	331.2			
220	"	362.9			

表記の質量はテーブル計算です。実際の商品は現物の実質量となります。重量を表示している規格は標準在庫品です。
300mm以下の長さ切断は、切断目減り分(5mm)のロスを実質にプラスとなります。

リン青銅鑄物板(PBC-2CP)

CAC502CP




切断品も対応(別途ご相談)

寸 法 mm			1枚の質量 (Kg/枚)	1mの質量 (kg/m)
板厚 t	幅 W	定尺長さ		
10	215	3,050	65.6	21.8
12	"	"	77.6	25.8
17	"	"	107.4	35.7
22	"	"	137.3	45.6
27	"	"	167.1	55.5
32	"	"	196.9	65.4
37	"	"	226.8	75.3
42	"	"	256.6	85.3
47	"	"	286.5	95.2
52	"			105.1
57	"			115.0
62	"			124.9
72	"			144.8
82	"	2,050	334.0	164.6
92	"			184.4
102	"			204.2
112	"			224.1
122	"			243.9
132	"			263.7
142	"			283.6
152	"			303.4
162	"			323.2
172	"			343.0
182	"			362.9
192	"			382.7
202	"			402.5
215	"	2,050	869.2	428.3

表記の質量はテーブル計算です。実際の商品は現物の実質量となります。重量を表示している規格は標準在庫品です。300mm以下の長さ切断は、切断目減り分(5mm)のロスを実費にプラスとなります。

リン青銅鑄物管(PBC-2CT)

CAC502CT



切断品も対応(別途ご相談)

寸 法 mm			1mの質量 (kg/m)	寸 法 mm			1mの質量 (kg/m)
外径 D	内径 d	定尺長さ		外径 D	内径 d	定尺長さ	
30	15	3,050	5.8	120	80	3,050	64.8
	20	"	4.6		90	"	53.0
35	15	"	8.4	130	80	"	86.2
	20	"	7.0		90	"	74.5
	25	"	5.8	140	70	"	115.0
40	20	"	9.8	150	80	"	127.5
	30	"	6.8		100	"	102.6
45	20	"	13.1	160	80	"	148.7
	30	"	9.8	170	100	"	149.7
	35	"	7.9	180	80	"	200.2
50	20	"	16.6		120	"	144.7
	25	"	15.5	190	120	"	171.8
	30	"	13.3	200	100	"	231.0
	40	"	8.4		120	"	200.4
55	20	"	21.1	140	"	164.0	
	25	"	19.2	210	150	"	176.2
	30	"	17.8	220	100	"	294.8
60	30	"	21.7	230	130	"	279.8
	40	"	17.3	240	140	"	295.4
65	35	"	24.5	250	150	"	310.9
70	35	"	29.0	270	170	2,050	343.7
	45	"	24.1	280	150	"	429.1
75	50	"	26.1	300	180	1,250	455.4
80	40	"	37.7				
	60	"	24.9				
90	40	"	50.2				
	60	"	37.4				
95	65	"	40.3				
100	50	"	58.6				
110	70	"	57.4				
120	60	"	83.3				

表記の質量はテーブル計算です。実際の商品は現物の実質量となります。重量を表示している規格は標準在庫品です。300mm以下の長さ切断は、切断目減り分(5mm)のロスを実質にプラスとなります。