


アルミ丸管(引抜丸管)A1070TD・A5052TD




定尺 4,000mm

● A1070TD 在庫品

★ A5052TD在庫品

外径 D mm	肉 厚 t mm								
	0.8	1.0	1.4	1.5	2.0	3.0	4.0	5.0	その他
6		●							
8	●	●	★						
10		●	★	●					
12		● ★			●				
12.7		●							
14		●			●				
15		●	★						
16		●		●	● ★	★			
17		●							
18		●		●					
19		● ★		●	● ★	●			
20		●	★	●	● ★	★			
22		●		●	● ★	★			
25		●		●	● ★	● ★			★ t = 1.6
28					● ★	★			★ t = 1.6
30		●	★		● ★	● ★			
32					● ★	● ★			
35					● ★	● ★			
38					● ★	● ★	★	★	★ t = 3.75
40		●			● ★	● ★	● ★	★	
42					●				
43				●					
45					● ★	● ★		● ★	
50				●	● ★	● ★	● ★	● ★	
55								★	★ t = 8.0
60					★	● ★	● ★	● ★	
65						● ★		● ★	
70						● ★		● ★	
75						● ★		● ★	
80						● ★	★	● ★	
85								●	
90						●	★	● ★	
100						● ★	●	● ★	
110						●		● ★	
120						●	★	● ★	
130						● ★		● ★	
140								★	
150						●		● ★	
165								●	

アルミ丸管(押出丸管)




定尺 4,000mm

◎ A6063TE-T5 在庫品

★ A5052TE-H112在庫品

外径 D mm	肉 厚 t mm					
	1.0	1.5	2.0	3.0	4.0	5.0
10	◎					
11	◎					
12	◎		◎			
13	◎					
14	◎					
15	◎					
16	◎	◎				
18	◎					
19	◎	◎				
20	◎	◎	◎			
22	◎	◎	◎			
25	◎	◎	◎	◎★		
28	◎	◎	◎	◎		
30	◎	◎	◎	◎★		
32		◎	◎	◎		
35		◎	◎	◎★		
38		◎	◎	◎		
40		◎	◎	◎★		
45		◎	◎	◎		
50		◎	◎	◎		◎★
55			◎	◎		
60			◎	◎		◎
65			◎	◎		
70				◎		
75				◎		
80				◎		
90				◎		◎
100				◎		◎
110				◎		◎
120				◎		◎
130						◎
140						
150						◎

アルミ丸管質量表



(A1070)1m当りの重量(kg/m)

外径 D mm	肉 厚 t mm								
	0.8	1.0	1.4	1.5	2.0	3.0	4.0	5.0	7.0
6	0.035	0.043							
8	0.049	0.060	0.079						
10	0.063	0.077	0.103	0.109					
11		0.085							
12	0.076	0.094	0.127	0.134	0.171				
12.7	0.081	0.099	0.134	0.142	0.182				
13		0.102							
14	0.090	0.111	0.150	0.159	0.205				
15	0.097	0.119	0.163	0.172	0.221				
16		0.128	0.174	0.186	0.239	0.332			
17		0.136	0.186	0.198	0.255	0.357			
18		0.145	0.198	0.211	0.272	0.383			
19		0.153	0.209	0.223	0.289	0.408			
20		0.169	0.223	0.238	0.308	0.433			
22		0.179	0.245	0.262	0.342	0.485			
25		0.205	0.281	0.301	0.393	0.561			t = 1.6 0.320
28		0.230	0.317	0.338	0.444	0.638			t = 1.6 0.361
30		0.248	0.342	0.363	0.479	0.692	0.884	1.063	
32		0.264	0.364	0.389	0.513	0.743	0.952	1.188	
35		0.289	0.402	0.427	0.564	0.820	1.054	1.275	
38		0.315	0.436	0.465	0.615	0.898	1.156	1.403	t = 3.75 1.098
40		0.333	0.459	0.491	0.649	0.949	1.224	1.487	
42				0.516	0.680	0.994	1.292	1.573	
43				0.529	0.697	1.020	1.326	1.615	
45				0.555	0.735	1.077	1.394	1.700	
50				0.618	0.820	1.205	1.572	1.912	2.599
55					0.901	1.326	1.734	2.125	t = 8 3.215
60					0.991	1.461	1.914	2.337	3.154
65					1.077	1.590	2.086	2.565	3.471
70					1.156	1.718	2.244	2.762	3.749
75					1.248	1.846	2.414	2.975	4.046
80					1.326	1.975	2.598	3.187	4.344
85					1.411	2.091	2.754	3.400	4.668
90					1.496	2.230	2.939	3.612	4.939
100					1.666	2.486	3.246	4.037	5.534
110						2.743	3.604	4.462	6.129
120						3.000	3.944	4.887	6.724
130						3.256	4.284	5.341	7.319
140							4.624	5.738	7.914
150						3.769	4.964	6.195	8.509
165								6.622	9.401

表記の質量はテーブル質量です。実際の商品とは異なる場合があります