


青銅鑄物棒 (BC-3CB)

CAC403CB



切断品も対応(別途ご相談)

寸 法 mm		1mの質量 (kg/m)	寸 法 mm		1mの質量 (kg/m)
直径 D	定尺長さ		直径 D	定尺長さ	
14	3,050	1.5	230	2,050	396.0
16	"	1.9	240	1,250	434.5
17	"	2.1	250	"	470.8
20	"	3.4	260	"	508.7
25	"	5.1	270	"	547.9
30	"	7.2	280	"	588.6
35	"	9.6	300	"	678.9
40	"	12.5			
45	"	15.7			
50	"	19.3			
55	"	23.4			
60	"	27.7			
65	"	32.4			
70	"	37.4			
75	"	42.7			
80	"	48.7			
85	"	54.8			
90	"	61.2			
100	"	75.7			
110	"	91.1			
120	"	108.0			
130	"	127.3			
140	"	148.2			
150	"	169.6			
160	"	192.4			
170	"	216.7			
180	"	242.4			
190	"	269.5			
200	"	298.1			
210	2,050	331.2			
220	"	362.9			

表記の質量はテーブル計算です。実際の商品は現物の実質量となります。重量を表示している規格は標準在庫品です。300mm以下の長さ切断は、切断目減り分(5mm)のロスを実質にプラスとなります。

青銅鑄物板(BC-3CP)

CAC403CP




切断品も対応(別途ご相談)

寸 法 mm			1枚の質量 (Kg/枚)	1mの質量 (kg/m)
板厚 t	幅 W	定尺長さ		
10	215	3,050	65.6	21.8
12	"	"	77.6	25.8
17	"	"	107.4	35.7
22	"	"	137.3	45.6
27	"	"	167.1	55.5
32	"	"	196.9	65.4
37	"	"	226.8	75.3
42	"	"	256.6	85.3
47	"	"	286.5	95.2
52	"	"	316.3	105.1
57	"	"		115.0
62	"	"		124.9
72	"	"		144.8
82	"	2,050	334.0	164.6
92	"	"		184.4
102	"	"		204.2
112	"	"		224.1
122	"	"		243.9
132	"	"		263.7
142	"	"		283.6
152	"	"		303.4
162	"	"		323.2
172	"	"		343.0
182	"	"		362.9
192	"	"		382.7
202	"	"		402.5
215	"	2,050	869.2	428.3

表記の質量はテーブル計算です。実際の商品は現物の実質量となります。重量を表示している規格は標準在庫品です。
300mm以下の長さ切断は、切断目減り分(5mm)のロスを実質にプラスとなります

青銅鑄物管 (BC-3CT)

CAC403CT



切断品も対応(別途ご相談)

寸 法 mm			1 mの質量 (kg/m)	寸 法 mm			1 mの質量 (kg/m)
外径 D	内径 d	定尺長さ		外径 D	内径 d	定尺長さ	
35	15	3,050	8.4	120	90	3,050	53.0
40	20	"	10.1	130	80	"	84.7
45	20	"	13.4		100	"	59.6
50	25	"	15.5	140	70	"	116.4
55	25	"	19.6		100	"	81.2
	35	"	15.6		110	"	66.6
60	30	"	22.1	150	80	"	127.5
	40	"	17.3		100	"	102.6
65	30	"	26.7	160	100	"	125.4
	35	"	24.5		110	"	110.8
70	35	"	29.5		120	"	94.8
	45	"	24.1	170	80	"	174.6
75	40	"	32.3		120	"	119.0
	50	"	26.1	180	100	"	175.4
80	40	"	38.4		120	"	144.7
	45	"	35.5	190	120	"	171.8
	50	"	32.2		140	"	135.4
85	50	"	38.3	200	100	"	231.0
	55	"	34.7		140	"	164.0
90	40	"	50.9	210	100	"	263.3
	50	"	44.8	220	120	"	264.3
	60	"	37.2	230	130	"	279.8
	70	"	28.4	240	140	"	295.4
100	50	"	59.4	250	150	"	310.9
	60	"	51.9	260	150	2,050	349.9
	70	"	42.9	270	140	"	409.1
	75	"	37.8	280	150	"	429.1
110	60	"	67.3	300	180	1,250	455.4
	70	"	58.3		200	2,050	397.8
120	60	"	84.3				
	80	"	64.8				

表記の質量はテーブル計算です。実際の商品は現物の実質量となります。重量を表示している規格は標準在庫品です。300mm以下の長さ切断は、切断目減り分(5mm)のロスを実質にプラスとなります。